

Vāk 10

Professional Conference System



Overview

The multi-functional Vāk 10 Conference System integrates sophisticated state-of-the-art Digital Signal Processing technology with high-quality hardware to bring you the most unique, simple and user-friendly conference system currently available. Designed to be versatile, the Vāk 10 system facilitates smooth discussions in meeting spaces in educational institutions, corporates, councils halls, legislative assemblies, and much more.

Key Features

● Ultra Functional Operating Modes.



Manual Mode: In this mode, all controls are manually operable subject to the NOM set. The maximum NOM in this system is 8. This feature helps to regulate meetings easily.



FIFO and LIFO: FIFO (First In First Out) and LIFO (Last In First Out) are ultra-flexible and adjustable modes in which the participant enters or exits a discussion.



Automatic Fixed Time Mode: In this mode, each person gets an allotted time to speak and is muted when the allotted time is completed. This mode is ideal for voting-based applications.



Fully Voice Operated Mode / Hands-Free Mode: This mode is fully automatic and is activated by voice; hence no hands are required to participate.

● Vāk 10.c / Vāk 10.d Chairman and Delegate Unit.



- Detachable and flexible gooseneck microphone.



- High-quality Panasonic® microphone capsule ensures good voice reproduction.



- LED indicator on the microphone to indicate 'Mic Active' status.



- Built-in speaker with level control.
- 2 separate headphone outputs.



- On/Off Talk switch.



- Available in elegant Black and classy White.



- Priority switch to override all delegate units on the Vāk 10.c
- Unique interrupt mode*.



* In any discussion mode when the priority switch on the chairman unit is pressed, it merely interrupts the discussion temporarily. The active delegate units resume their prior status once the chairman releases the priority switch.

All Features



Väk 10.s Controller

- Highly-flexible and customizable system supporting 4 Chairman and 160 Delegate Units.
- 4 Channels - Each channel supports 40 delegate units (total 160 units) and up to 4 chairman units.
- NOM (Number of Open Microphones) - Supports up to 8 active delegate units.
- NOM-based gain adjustment.
- Intelligent algorithm and DSP audio processing system.
- Fully-automatic, no operator required.
- User-friendly interface with LCD display.
- Balanced XLR and 1/4" jack master output.
- AUX and line output for recording or monitoring.
- Output signal level controls.
- 19" 2U design for easy rack mounting.

Technical Specifications

Parameter	Specifications Vāk 10
Frequency Response	100Hz-14.5kHz
Signal to Noise Ratio	81dB
Connector for Delegate/Chairman unit	8P-DIN x 4
Audio Output	RCA x 2, 1/4" Jack x 1, XLR x 1
Audio Input/Output (TEL)	RCA x 2
Dimension (W x D x H) mm	483 x 323 x 90

Parameter	Specifications Vāk 10d and 10d
Frequency Response	100Hz-10kHz
Signal to Noise Ratio	70dB
Connection	Round 8P-DIN x 2 M
Sensitivity	-50dB/Pa
Length of Cable	2.1m
Dimension (W x D x H) mm	160 x 175 x 65 / Mic: 533 (L)

Support

For sales, support, pricing and availability:
Email: info@audioplus-india.com
Telephone: 022-42869000 / 001
WhatsApp: +91-8879028079
(Monday to Saturday between 10:00 a.m to 6:00 p.m.)
Contact Us:
<http://www.studiomasterprofessional.com/home/contact>



Scan QR Code for More Details



Scan QR Code to Watch Video

For after-sales service and support: Email: sales.support@audioplus-india.com Telephone: 022-42869010 / 49 / 57

Subscribe to our Channel

StuDiomaster[®]
PROFESSIONAL

On  YouTube



bit.ly/SMPYT-S



StuDiomaster Professional 



* Product design and specifications are subject to change without notice.

StuDiomaster Professional is a registered trademark of Audioplus in India. © Copyright Audioplus, 2008. All rights reserved. Any unauthorised reproduction or use of logos, images or design elements is strictly prohibited by law. No part of the compilation may be reproduced in any manner or translated without written permission.

Code: Rev000 / SMP Vāk 10 Datasheet / July 2020

Brought to you by:

AUDIOPLUS

A1/A2, Giriraj Indl. Est., Mahakali Caves Road, Andheri (E), Mumbai - 400 093, India Tel.: +91-22-4286 9000/ 001 W: www.audioplus-india.com